

32692

Customer Number

Patent
Case No.: 54601US007

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

First Named Inventor: RUSIN, RICHARD P.

Patent No.: 7255562

Application No.: 10/027278

Dated: August 14, 2007

Confirmation No. 4144

Title: DENTAL MILL BLANKS

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 CFR § 1.322 AND 1.323

Commissioner for Patents
Office of Publication
Attn: Certificate of Correction Branch
P.O. Box 1450
Alexandria, VA 22313-1450

CERTIFICATE OF MAILING OR TRANSMISSION [37 CFR § 1.8(a)]

I hereby certify that this correspondence is being:

- ☐ deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.
- ☐ transmitted by facsimile on the date shown below to the United States Patent and Trademark Office at 571-273-8300.
- ☒ transmitted to United States Patent and Trademark Office on the date shown below via the Office electronic filing system.

Feb. 12, 2008

Date

Signed by: Sherri K. W. Johnson

Dear Sir:

It is respectfully requested that a Certificate of Correction be issued in connection with the above-identified patent. The required text is submitted on the attached form.

The errors are attributable to both the Applicant(s) and the Patent and Trademark Office.

Fees

- ☒ Any required fee will be made at the time of submission via EFS-Web. In the event fees are not or cannot be paid at the time of EFS-Web submission, please charge any fees under 37 CFR § 1.20(a) which may be required to Deposit Account No. 13-3723.
- ☐ Please charge any fees under 37 CFR §§ 1.20(a), 1.16 and 1.17 which may be required to Deposit Account No. 13-3723. (One copy of this sheet marked duplicate is enclosed.)

- ☒ Please charge any additional fees associated with the prosecution of this application to Deposit Account No. 13-3723. This authorization includes the fee for any necessary extension of time under 37 CFR § 1.136(a). To the extent any such extension should become necessary, it is hereby requested.
- ☒ Please credit any overpayment to the same deposit account.

Respectfully submitted,

Feb. 12, 2008

Date

By: 

Sean J. Edman, Reg. No.: 42,506

Telephone No.: 651-575-1796

Office of Intellectual Property Counsel
3M Innovative Properties Company
Facsimile No.: 651-736-3833

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Page 1 of 2

PATENT NO.: 7255562
DATED: August 14, 2007
FIRST NAMED INVENTOR: RUSIN, RICHARD P.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1

Lines 61-62, delete "Saickingen," and insert - - Sackingen, - -, therefor.

Column 4

Line 15, delete "m² g" and insert - - m²/g - -, therefor.

Column 6

Line 3, delete "junctional" and insert - - functional - -, therefor.

Line 42, delete "compound is" and insert - - compounds - -, therefor.

Line 45, after "citraconic acid," delete "acid,".

Column 7

Line 7, delete "(i.e" and insert - - (i.e. - -, therefor.

Line 19, delete "vol" and insert - - vol. - -, therefor.

Line 32, delete "5,545,676." and insert - - 5,545,676, - -, therefor.

Column 12

Line 14, delete "occurring" and insert - - occurring - -, therefor.

Line 15, delete "Such" and insert - - such - -, therefor.

Column 13

Line 26, delete "non tacky" and insert - - non-tacky - -, therefor.

Column 14

Line 11, delete "configurations" and insert - - configuration, - -, therefor.

Line 13, delete "c)" and insert - - e) - -, therefor.

MAILING ADDRESS OF SENDER:

OFFICE OF INTELLECTUAL PROPERTY COUNSEL
3M INNOVATIVE PROPERTIES COMPANY
3M CENTER - P.O. BOX 33427
SAINT PAUL, MINNESOTA 55133-3427

PATENT NO. 7255562

No. of add'l copies: - 0 -
@ 50¢ per page

No add'l copies

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Page 2 of 2

PATENT NO.: 7255562
DATED: August 14, 2007
FIRST NAMED INVENTOR: RUSIN, RICHARD P.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 15

Line 31, after "same" delete "of" and insert - - or - -, therefor.

Column 16

Line 3, delete "mL," and insert - - mL - -, therefor.

Line 55, delete "botttom" and insert - - bottom - -, therefor.

Column 17

Line 54, delete "3.0-3.3." and insert - - 3.0-3.3 - -, therefor.

Line 66, delete "commerical" and insert - - commercial - -, therefor.

Column 18

Line 43, delete "adjsted" and insert - - adjusted - -, therefor.

Column 19

Line 9, delete "discontinuities" and insert - - discontinuities - -, therefor.

Column 20

Line 50, delete "commerically" and insert - - commercially - -, therefor.

Column 21

Line 63, delete "Vitablocs" and insert - - Vitablocks - -, therefor.

Column 22

Line 61, in Claim 1, delete "pastes," and insert - - paste, - -, therefor.

MAILING ADDRESS OF SENDER:

**OFFICE OF INTELLECTUAL PROPERTY COUNSEL
3M INNOVATIVE PROPERTIES COMPANY
3M CENTER - P.O. BOX 33427
SAINT PAUL, MINNESOTA 55133-3427**

PATENT NO. 7255562

No. of add'l copies: - 0-
@ 50¢ per page

No add'l copies